

CLAIMS:

Sub A 17

1. A dry erase board comprising:
a body having dry erase characteristics, the body having at least one bent end, wherein the bent end is capable of removably securing a sheet of paper to the body.

Sub C 17

2. The dry erase board of Claim 1 being in a flat state when shipped to a user.
3. The dry erase board of Claim 1, wherein the bent end has a first bent section and a second bent section, wherein the first bent section contacts a surface of the sheet, and wherein the second bent section contacts an edge of the sheet.

4. The dry erase board of Claim 1, wherein the body is semi-rigid.

5. The dry erase board of Claim 1, wherein the entire body is transparent.

6. The dry erase board of Claim 1, including a second bent end.

7. The dry erase board of Claim 6, wherein a first bent end contacts a first edge of the sheet and the second bent end contacts a second edge of the sheet.

8. The dry erase board of Claim 1, including a plurality of bent ends which extend along a periphery of the body.

9. A method for manufacturing a dry erase board, the method comprising the steps of:
providing a body having dry erase characteristics; and
bending a side of the body to create an area for receiving a sheet.

10. The method of Claim 9, including the step of bending a second side of the body to create an area for receiving the sheet.

11. The method of Claim 9, including the step of applying an adhesive to the side.

12. The method of Claim 9, wherein the dry erase board is shipped to a user in a flat state prior to the bending of the side.

13. The method of Claim 9, including the step of placing indicia on the sheet.

10

14. A dry erase board comprising:
a body having dry erase characteristics, the body further having a pocket for receiving a sheet.

15. The dry erase board of Claim 14, wherein the pocket is integrally formed.

16. The dry erase board of Claim 14, wherein the pocket is attached by an adhesive layer.

20

17. The dry erase board of Claim 14, wherein the body may receive indicia in correlation to indicia printed on the sheet.

18. The dry erase board of Claim 15, wherein the pocket has dry erase characteristics.

19. A method of using a dry erase board comprising the steps of:
providing a dry erase board including a front face having dry erase characteristics and an open back surface for removably receiving a sheet of material;
and
removably securing the sheet of material to the dry erase board.

sub

C1

20. The method of Claim 19, wherein the sheet is removably secured by inserting the sheet in a lip defined by a bent end of the dry erase board.